

---

# CHAPTER 4

---

## STORMWATER DRAINAGE SYSTEM DESIGN

### Table of Contents

#### SECTION 4.1 STORMWATER DRAINAGE DESIGN OVERVIEW

|         |   |       |
|---------|---|-------|
| 4.1.1   | Stormwater Drainage System Design .....         | 4.1-1 |
| 4.1.1.1 | Introduction .....                              | 4.1-1 |
| 4.1.1.2 | Drainage System Components .....                | 4.1-1 |
| 4.1.1.3 | Checklist for Drainage Planning and Design..... | 4.1-2 |
| 4.1.2   | Key Issues in Stormwater Drainage Design .....  | 4.1-2 |
| 4.1.2.1 | Introduction .....                              | 4.1-2 |
| 4.1.2.2 | General Drainage Design Considerations.....     | 4.1-2 |
| 4.1.2.3 | Inlets and Drains .....                         | 4.1-3 |
| 4.1.2.4 | Storm Drain Pipe Systems.....                   | 4.1-3 |
| 4.1.2.5 | Culverts .....                                  | 4.1-4 |
| 4.1.2.6 | Open Channels.....                              | 4.1-4 |
| 4.1.2.7 | Energy Dissipators.....                         | 4.1-5 |
| 4.1.3   | Design Storm Recommendations .....              | 4.1-5 |

#### SECTION 4.2 MINOR DRAINAGE SYSTEM DESIGN

|         |                                  |       |
|---------|----------------------------------|-------|
| 4.2.1   | Overview.....                    | 4.2-1 |
| 4.2.1.1 | Introduction .....               | 4.2-1 |
| 4.2.1.2 | General Criteria.....            | 4.2-1 |
| 4.2.2   | Symbols and Definitions .....    | 4.2-1 |
| 4.2.3   | Street and Roadway Gutters ..... | 4.2-2 |
| 4.2.3.1 | Formula.....                     | 4.2-2 |
| 4.2.3.2 | Nomograph.....                   | 4.2-3 |
| 4.2.3.3 | Manning's n Table.....           | 4.2-3 |
| 4.2.3.4 | Uniform Cross Slope.....         | 4.2-3 |
| 4.2.3.5 | Composite Gutter Sections .....  | 4.2-4 |

---

|              |                                       |               |
|--------------|---------------------------------------|---------------|
| <b>4.2.4</b> | <b>Stormwater Inlets .....</b>        | <b>4.2-8</b>  |
| <b>4.2.5</b> | <b>Grate Inlet Design .....</b>       | <b>4.2-9</b>  |
| 4.2.5.1      | Grate Inlets on Grade .....           | 4.2-9         |
| 4.2.5.2      | Grate Inlets in Sag .....             | 4.2-13        |
| <b>4.2.6</b> | <b>Curb Inlet Design .....</b>        | <b>4.2-15</b> |
| 4.2.6.1      | Curb Inlets on Grade.....             | 4.2-15        |
| 4.2.6.2      | Curb Inlets in Sump .....             | 4.2-18        |
| <b>4.2.7</b> | <b>Combination Inlets .....</b>       | <b>4.2-22</b> |
| 4.2.7.1      | Combination Inlets on Grade.....      | 4.2-22        |
| 4.2.7.2      | Combination Inlets in Sump .....      | 4.2-22        |
| <b>4.2.8</b> | <b>Storm Drain Pipe Systems .....</b> | <b>4.2-23</b> |
| 4.2.8.1      | Introduction .....                    | 4.2-23        |
| 4.2.8.2      | General Design Procedure.....         | 4.2-23        |
| 4.2.8.3      | Design Criteria .....                 | 4.2-23        |
| 4.2.8.4      | Capacity Calculations.....            | 4.2-26        |
| 4.2.8.5      | Nomographs and Table .....            | 4.2-26        |
| 4.2.8.6      | Hydraulic Grade Lines.....            | 4.2-26        |
| 4.2.8.7      | Minimum Grade .....                   | 4.2-28        |
| 4.2.8.8      | Storm Drain Storage .....             | 4.2-28        |

## **SECTION 4.3 CULVERT DESIGN**

|              |                                   |              |
|--------------|-----------------------------------|--------------|
| <b>4.3.1</b> | <b>Overview.....</b>              | <b>4.3-1</b> |
| <b>4.3.2</b> | <b>Symbols and Overview .....</b> | <b>4.3-1</b> |
| <b>4.3.3</b> | <b>Design Criteria .....</b>      | <b>4.3-2</b> |
| 4.3.3.1      | Frequency Flood .....             | 4.3-2        |
| 4.3.3.2      | Velocity Limitations .....        | 4.3-2        |
| 4.3.3.3      | Buoyancy Protection .....         | 4.3-2        |
| 4.3.3.4      | Length and Slope .....            | 4.3-2        |
| 4.3.3.5      | Debris Control .....              | 4.3-2        |
| 4.3.3.6      | Headwater Limitations .....       | 4.3-2        |
| 4.3.3.7      | Tailwater Considerations.....     | 4.3-3        |
| 4.3.3.8      | Storage .....                     | 4.3-3        |
| 4.3.3.9      | Culvert Inlets .....              | 4.3-3        |
| 4.3.3.10     | Inlets with Headwalls .....       | 4.3-3        |

---

|  |               |
|--|---------------|
| 4.3.3.11 Wingwalls and Aprons .....                          | 4.3-4         |
| 4.3.3.12 Improved Inlets.....                                | 4.3-4         |
| 4.3.3.13 Material Selection.....                             | 4.3-5         |
| 4.3.3.14 Culvert Skews.....                                  | 4.3-5         |
| 4.3.3.15 Culvert Sizes.....                                  | 4.3-5         |
| 4.3.3.16 Weep Holes.....                                     | 4.3-5         |
| 4.3.3.17 Outlet Protection .....                             | 4.3-6         |
| 4.3.3.18 Erosion and Sediment Control .....                  | 4.3-6         |
| 4.3.3.19 Environmental Considerations.....                   | 4.3-6         |
| <b>4.3.4 Design Procedures .....</b>                         | <b>4.3-6</b>  |
| 4.3.4.1 Types of Flow Control .....                          | 4.3-6         |
| 4.3.4.2 Procedures.....                                      | 4.3-9         |
| 4.3.4.3 Nomographs .....                                     | 4.3-9         |
| 4.3.4.4 Design Procedure.....                                | 4.3-9         |
| 4.3.4.5 Performance Curves – Roadway Overtopping .....       | 4.3-10        |
| 4.3.4.6 Storage Routing .....                                | 4.3-10        |
| <b>4.3.5 Culvert Design Example .....</b>                    | <b>4.3-12</b> |
| 4.3.5.1 Introduction .....                                   | 4.3-12        |
| 4.3.5.2 Example .....  | 4.3-12        |
| 4.3.5.3 Example Data .....                                   | 4.3-12        |
| 4.3.5.4 Computations .....                                   | 4.3-12        |
| <b>4.3.6 Design Procedures for Beveled-Edged Inlets.....</b> | <b>4.3-15</b> |
| 4.3.6.1 Introduction .....                                   | 4.3-15        |
| 4.3.6.2 Design Figures .....                                 | 4.3-15        |
| 4.3.6.3 Design Procedure .....                               | 4.3-15        |
| 4.3.6.4 Design Figure Limits .....                           | 4.3-15        |
| 4.3.6.5 Multi-barrel Installations .....                     | 4.3-16        |
| 4.3.6.6 Skewed Inlets.....                                   | 4.3-16        |
| <b>4.3.7 Flood Routing and Culvert Design .....</b>          | <b>4.3-16</b> |
| 4.3.7.1 Introduction .....                                   | 4.3-16        |
| 4.3.7.2 Design Procedure.....                                | 4.3-16        |
| <b>4.3.8 Culvert Design Charts and Nomographs .....</b>      | <b>4.3-17</b> |

---

## **SECTION 4.4 OPEN CHANNEL DESIGN**

|   |               |
|---|---------------|
| <b>4.4.1 Overview.....</b>  | <b>4.4-1</b>  |
| 4.4.1.1 Introduction .....  | 4.4-1         |
| 4.4.1.2 Open Channel Types.....   | 4.4-1         |
| <b>4.4.2 Symbols and Definitions .....</b>                                | <b>4.4-2</b>  |
| <b>4.4.3 Design Criteria .....</b>  | <b>4.4-3</b>  |
| 4.4.3.1 General Criteria .....  | 4.4-3         |
| 4.4.3.2 Velocity Limitations .....  | 4.4-3         |
| <b>4.4.4 Manning's n Values .....</b>                                     | <b>4.4-3</b>  |
| <b>4.4.5 Uniform Flow Calculations.....</b>                               | <b>4.4-5</b>  |
| 4.4.5.1 Design Charts.....  | 4.4-5         |
| 4.4.5.2 Manning's Equation.....   | 4.4-5         |
| 4.4.5.3 Geometric Relationships .....                                     | 4.4-5         |
| 4.4.5.4 Direct Solutions .....  | 4.4-5         |
| 4.4.5.5 Trial and Error Solutions .....                                   | 4.4-14        |
| <b>4.4.6 Critical Flow Calculations.....</b>                              | <b>4.4-16</b> |
| 4.4.6.1 Background.....   | 4.4-16        |
| 4.4.6.2 Semi-Empirical Equations .....                                    | 4.4-16        |
| <b>4.4.7 Vegetative Design.....</b>                                       | <b>4.4-19</b> |
| 4.4.7.1 Introduction .....  | 4.4-19        |
| 4.4.7.2 Design Stability.....   | 4.4-19        |
| 4.4.7.3 Design Capacity .....   | 4.4-21        |
| <b>4.4.8 Riprap Design.....</b>   | <b>4.4-21</b> |
| 4.4.8.1 Assumptions.....  | 4.4-21        |
| 4.4.8.2 Procedure.....  | 4.4-22        |
| <b>4.4.9 Uniform Flow – Example Problems .....</b>                        | <b>4.4-26</b> |
| <b>4.4.10 Gradually Varied Flow .....</b>                                 | <b>4.4-29</b> |
| <b>4.4.11 Rectangular, Triangular and Trapezoidal Open Channel Design</b> |               |
| <b>Figures .....</b>  | <b>4.4-29</b> |
| 4.4.11.1 Introduction .....   | 4.4-29        |
| 4.4.11.2 Description of Figures.....                                      | 4.4-29        |

---

|   |        |
|---|--------|
| 4.4.11.3 Instructions for Rectangular and Trapezoidal Figures ..... | 4.4-30 |
| 4.4.11.4 Grassed Channel Figures .....                              | 4.4-34 |
| 4.4.11.5 Description of Figures .....                               | 4.4-34 |
| 4.4.11.6 Instructions for Grassed Channel Figures.....              | 4.4-35 |
| 4.4.12 Open Channel Design Figures .....                            | 4.4-38 |
| 4.4.13 Triangle Channel Nomograph .....                             | 4.4-66 |
| 4.4.14 Grass Channel Design Figures .....                           | 4.4-68 |

## SECTION 4.5 ENERGY DISSIPATION DESIGN

|   |        |
|---|--------|
| 4.5.1 Overview.....                         | 4.5.1  |
| 4.5.1.1 Introduction .....                  | 4.5-1  |
| 4.5.1.2 General Criteria.....               | 4.5-1  |
| 4.5.1.3 Recommended Energy Dissipators..... | 4.5-1  |
| 4.5.2 Symbols and Definitions .....         | 4.5-1  |
| 4.5.3 Design Guidelines .....               | 4.5-2  |
| 4.5.4 Riprap Aprons .....                   | 4.5-5  |
| 4.5.4.1 Description.....                    | 4.5-5  |
| 4.5.4.2 Design Procedure .....              | 4.5-5  |
| 4.5.4.3 Design Considerations .....         | 4.5-9  |
| 4.5.4.4 Example Designs .....               | 4.5-9  |
| 4.5.5 Riprap Basins .....                   | 4.5-10 |
| 4.5.5.1 Description.....                    | 4.5-10 |
| 4.5.5.2 Basin Features.....                 | 4.5-10 |
| 4.5.5.3 Design Procedure.....               | 4.5-10 |
| 4.5.5.4 Design Considerations .....         | 4.5-15 |
| 4.5.5.5 Example Designs .....               | 4.5-15 |
| 4.5.6 Baffled Outlets.....                  | 4.5-20 |
| 4.5.6.1 Description.....                    | 4.5-20 |
| 4.5.6.2 Design Procedure .....              | 4.5-20 |
| 4.5.6.3 Example Design.....                 | 4.5-22 |

## References

---

## LIST OF TABLES

|       |  |        |
|-------|--|--------|
| 4.2-1 | Symbols and Definitions .....  | 4.2-2  |
| 4.2-2 | Manning's n Values for Street and Pavement Gutters .....                           | 4.2-3  |
| 4.2-3 | Grate Debris Handling Efficiencies .....   | 4.2-10 |
| 4.3-1 | Symbols and Definitions .....  | 4.3-1  |
| 4.3-2 | Inlet Coefficients.....  | 4.3-4  |
| 4.3-3 | Manning's n Values.....  | 4.3-5  |
| 4.4-1 | Symbols and Definitions .....  | 4.4-2  |
| 4.4-2 | Maximum Velocities for Comparing Lining Materials .....                            | 4.4-4  |
| 4.4-3 | Maximum Velocities for Vegetative Channel Linings .....                            | 4.4-4  |
| 4.4-4 | Manning's Roughness Coefficients (n) for Artificial Channels .....                 | 4.4-6  |
| 4.4-5 | Uniform Flow Values of Roughness Coefficient n .....                               | 4.4-8  |
| 4.4-6 | Classification of Vegetal Covers as to Degrees of Retardance.....                  | 4.4-10 |
| 4.4-7 | Critical Depth Equations for Uniform Flow in Selected Channel Cross Sections ..... | 4.4-17 |
| 4.5-1 | Symbols and Definitions .....  | 4.5-2  |

## LIST OF FIGURES

|        |   |        |
|--------|---|--------|
| 4.1-1  | Alternate Roadway Section without Gutters .....   | 4.1-3  |
| 4.1-2  | Compound Channel .....  | 4.1-4  |
| 4.2-1  | Flow in Triangular Gutter Sections.....   | 4.2-5  |
| 4.2-2  | Ratio of Frontal Flow to Total Gutter Flow .....  | 4.2-6  |
| 4.2-3  | Flow in Composite Gutter Sections .....   | 4.2-7  |
| 4.2-4  | Grate Inlet Frontal Flow Interception Efficiency .....  | 4.2-11 |
| 4.2-5  | Grate Inlet Side Flow Interception Efficiency .....   | 4.2-12 |
| 4.2-6  | Grate Inlet Capacity in Sag Conditions .....  | 4.2-14 |
| 4.2-7  | Curb-Opening and Slotted Drain Inlet Length for Total Interception .....                                  | 4.2-16 |
| 4.2-8  | Curb-Opening and Slotted Drain Inlet Interception Efficiency .....  | 4.2-17 |
| 4.2-9  | Depressed Curb-Opening Inlet Capacity in Sump Locations.....  | 4.2-19 |
| 4.2-10 | Curb-Opening Inlet Capacity in Sump Locations .....   | 4.2-20 |
| 4.2-11 | Curb-Opening Inlet Orifice Capacity for Inclined and Vertical Orifice Throats .                           | 4.2-21 |
| 4.2-12 | Storm Drain System Computation Form .....   | 4.2-25 |
| 4.2-13 | Nomograph for Solution of Manning's Formula for Flow in Storm Sewers .....                                | 4.2-29 |
| 4.2-14 | Nomograph for Computing Required Size of Circular Drain, Flowing Full<br>( $n = 0.013$ or $0.015$ ) ..... | 4.2-30 |
| 4.2-15 | Concrete Pipe Flow Nomograph .....  | 4.2-31 |
| 4.2-16 | Values of Various Elements of Circular Section for Various Depths of Flow....                             | 4.2-32 |
| 4.2-17 | Hydraulic Grade Line Computation Form.....  | 4.2-33 |

|        |   |        |
|--------|---|--------|
| 4.3-1  | Culvert Flow Conditions .....   | 4.3-6  |
| 4.3-2a | Headwater Depth for Concrete Pipe Culvert with Inlet Control .....  | 4.3-7  |
| 4.3-2b | Head for Concrete Pipe Culverts Flowing Full.....   | 4.3-8  |
| 4.3-3  | Discharge Coefficients for Roadway Overtopping .....  | 4.3-11 |
| 4.3-4  | Culvert Design Calculation Form .....   | 4.3-14 |
| 4.4-1  | Manning's n Values for Vegetated Channels .....   | 4.4-7  |
| 4.4-2  | Nomograph for the Solution of Manning's Equation.....   | 4.4-12 |
| 4.4-3  | Solution of Manning's Equation for Trapezoidal Channels .....   | 4.4-13 |
| 4.4-4  | Trapezoidal Channel Capacity Chart.....   | 4.4-15 |
| 4.4-5  | Open Channel Geometric Relationships for Various Cross Sections .....   | 4.4-18 |
| 4.4-6  | Protection Length, $L_p$ , Downstream of Channel Bend.....  | 4.4-20 |
| 4.4-7  | Riprap Lining Bend Correction Coefficient.....  | 4.4-23 |
| 4.4-8  | Riprap Lining Specific Weight Correction Coefficient .....  | 4.4-24 |
| 4.4-9  | Riprap Lining $d_{30}$ Stone Size – Function of Mean Velocity and Depth .....   | 4.4-25 |
| 4.4-10 | Riprap Lining Thickness Adjustment for $D_{85} / d_{15} = 1.0$ to 2.3 .....   | 4.4-27 |
| 4.4-11 | Example Nomograph #1 .....  | 4.4-31 |
| 4.4-12 | Example Nomograph #2 .....  | 4.4-32 |
| 4.4-13 | Example Nomograph #3 .....  | 4.4-33 |
| 4.4-14 | Example Nomograph #4 .....  | 4.4-36 |
| 4.4-15 | Example Nomograph #5 .....  | 4.4-37 |
|        | Unnumbered Figures – Section 4.4.12 (Open Channel Design Figures) .....   | 4.4-38 |
|        | Unnumbered Figures – Section 4.4.13 (Triangular Channel Nomograph) .....  | 4.4-66 |
|        | Unnumbered Figures – Section 4.4.14 (Grassed Channel Design Figures) .....  | 4.4-68 |
| 4.5-1  | Riprap Size for Use Downstream of Energy Dissipator .....   | 4.5-4  |
| 4.5-2  | Design of Riprap Apron under Minimum Tailwater Conditions.....  | 4.5-6  |
| 4.5-3  | Design of Riprap Apron under Maximum Tailwater Conditions .....   | 4.5-7  |
| 4.5-4  | Riprap Apron .....  | 4.5-8  |
| 4.5-5  | Details of Riprap Outlet Basin .....  | 4.5-11 |
| 4.5-6  | Dimensionless Rating Curves for the Outlets of Rectangular Culverts on<br>Horizontal and Mild Slopes.....   | 4.5-12 |
| 4.5-7  | Dimensionless Rating Curve for the Outlets of Circular Culverts on<br>Horizontal and Mild Slopes.....   | 4.5-13 |
| 4.5-8  | Relative Depth of Scour Hole versus Froude Number at Brink of Culvert<br>with Relative Size of Riprap as a Third Variable .....   | 4.5-14 |
| 4.5-9  | Distribution of Centerline Velocity for Flow from Submerged Outlets to be<br>Used for Predicting Channel Velocities Downstream from Culvert<br>Outlet where High Tailwater Prevails ..... | 4.5-16 |
| 4.5-10 | Riprap Basin Design Form.....   | 4.5-19 |
| 4.5-11 | Schematic of Baffled Outlet .....   | 4.5-21 |

---

## LIST OF CHARTS

|          |  |        |
|----------|--|--------|
| Chart 1  | Headwater Depth for Concrete Pipe Culverts with Inlet Control .....  | 4.3-17 |
| Chart 2  | Headwater Depth for C. M. Pipe Culverts with Inlet Control .....   | 4.3-18 |
| Chart 3  | Headwater Depth for Circular Pipe Culverts with Beveled Ring Inlet Control ..  | 4.3-19 |
| Chart 4  | Critical Depth Circular Pipe .....   | 4.3-20 |
| Chart 5  | Head for Concrete Pipe Culverts Flowing Full $n = 0.012$ .....   | 4.3-21 |
| Chart 6  | Head for Standard C. M. Pipe Culverts Flowing Full $n = 0.024$ .....   | 4.3-22 |
| Chart 7  | Head for Structural Plate Corr. Metal Pipe Culverts Flowing Full $n = 0.0328$<br>to 0.0302 .....   | 4.3-23 |
| Chart 8  | Headwater Depth for Box Culverts with Inlet Control .....  | 4.3-24 |
| Chart 9  | Headwater Depth for Inlet Control Rectangular Box Culverts Flared<br>Wingwalls 18° to 33.7° & 45° with Beveled Inlet Edges .....                       | 4.3-25 |
| Chart 10 | Headwater Depth for Inlet Control Rectangular Box Culverts 90° Headwall<br>Chamfered or Beveled Inlet Edges .....                                      | 4.3-26 |
| Chart 11 | Headwater Depth for Inlet Control Single Barrel Box Culverts Skewed<br>Headwalls Chamfered or Beveled Inlet Edges.....                                 | 4.3-27 |
| Chart 12 | Headwater Depth for Inlet Control Rectangular Box Culverts Flared<br>Wingwalls Normal and Skewed Insets $\frac{3}{4}$ " Chamfer at Top of Opening..... | 4.3-28 |
| Chart 13 | Headwater Depth for Inlet Control Rectangular Box Culverts Offset Flared<br>Wingwalls and Beveled Edge at Top of Inlet .....                           | 4.3-29 |
| Chart 14 | Critical Depth Rectangular Section.....  | 4.3-30 |
| Chart 15 | Head for Concrete Box Culverts Flowing Full $n = 0.012$ .....  | 4.3-31 |
| Chart 16 | Headwater Depth for C. M. Box Culverts Rise / Span < 0.3 with Inlet<br>Control.....  | 4.3-32 |
| Chart 17 | Headwater Depth for C. M. Box Culverts $0.3 \leq$ Rise / Span < 0.4 with Inlet<br>Control.....   | 4.3-33 |
| Chart 18 | Headwater Depth for C. M. Box Culverts $0.4 \leq$ Rise / Span < 0.5 with Inlet<br>Control.....   | 4.3-34 |
| Chart 19 | Headwater Depth for C. M. Box Culverts $0.5 \leq$ Rise / Span with Inlet<br>Control.....   | 4.3-35 |
| Chart 20 | Dimensionless Critical Depth Chart for C. M. Box Culverts .....  | 4.3-36 |
| Chart 21 | Head for C. M. Box Culverts Flowing Full Concrete Bottom Rise / Span < 0.3 ..  | 4.3-37 |
| Chart 22 | Head for C. M. Box Culverts Flowing Full Concrete Bottom $0.3 \leq$ Rise / Span<br>< 0.4.....  | 4.3-38 |
| Chart 23 | Head for C. M. Box Culverts Flowing Full Concrete Bottom $0.4 \leq$ Rise / Span<br>< 0.5.....  | 4.3-39 |
| Chart 24 | Head for C. M. Box Culverts Flowing Full Concrete Bottom $0.5 \leq$ Rise / Span ..   | 4.3-40 |
| Chart 25 | Head for C. M. Box Culverts Flowing Full Corrugated Metal Bottom < 0.3<br>Rise / Span.....   | 4.3-41 |
| Chart 26 | Head for C. M. Box Culverts Flowing Full Corrugated Metal Bottom $0.4 \leq$<br>Rise / Span < 0.5 .....   | 4.3-42 |
| Chart 27 | Head for C. M. Box Culverts Flowing Full Corrugated Metal Bottom $0.4 \leq$<br>Rise / Span < 0.5 .....   | 4.3-43 |

|                 |  |               |
|-----------------|--|---------------|
| <b>Chart 28</b> | <b>Head for C. M. Box Culverts Flowing Full Corrugated Metal Bottom 0.5 ≤ Rise / Span .....</b>  | <b>4.3-44</b> |
| <b>Chart 29</b> | <b>Headwater Depth for Oval Concrete Pipe Culverts Long Axis Horizontal Inlet Control .....</b>  | <b>4.3-45</b> |
| <b>Chart 30</b> | <b>Headwater Depth for Oval Concrete Pipe Culverts Long Axis Vertical with Inlet Control .....</b>   | <b>4.3-46</b> |
| <b>Chart 31</b> | <b>Critical Depth Oval Concrete Pipe Long Axis Horizontal .....</b>  | <b>4.3-47</b> |
| <b>Chart 32</b> | <b>Critical Depth Oval Concrete Pipe Long Axis Vertical.....</b>   | <b>4.3-48</b> |
| <b>Chart 33</b> | <b>Head for Oval Concrete Pipe Culverts Long Axis Horizontal or Vertical Flowing Full n = 0.12.....</b>  | <b>4.3-49</b> |
| <b>Chart 34</b> | <b>Headwater Depth for C. M. Pipe-Arch Culverts with Inlet Control .....</b>   | <b>4.3-50</b> |
| <b>Chart 35</b> | <b>Headwater Depth for Inlet Controls Structural Plate Pipe-Arch Culverts 18 in. Radius Corner Plate Projecting or Headwall Inlet Headwall with or without Edge Bevel.....</b> | <b>4.3-51</b> |
| <b>Chart 36</b> | <b>Headwater Depth for Inlet Control Structural Plate Pipe-Arch Culverts 31 in. Radius Corner Plate Projecting or Headwall inlet Headwall with or without Edge Bevel .....</b> | <b>4.3-52</b> |
| <b>Chart 37</b> | <b>Critical Depth Standard C. M. Pipe Arch .....</b>   | <b>4.3-53</b> |
| <b>Chart 38</b> | <b>Critical Depth Structural Plate C. M. Pipe Arch 18 in. Corner Radius .....</b>  | <b>4.3-54</b> |
| <b>Chart 39</b> | <b>Head of Standard C. M. Pipe-Arch Culverts Flowing Full n = 0.024 .....</b>  | <b>4.3-55</b> |
| <b>Chart 40</b> | <b>Head for Structural Plate C. M. Pipe Arch Culverts 18 in. Corner Radius Flowing Full n = 0.0327 to 0.0306 .....</b>   | <b>4.3-56</b> |
| <b>Chart 41</b> | <b>Headwater Depth for C. M. Arch Culverts 0.3 ≤ Rise / Span &lt; 0.4 with Inlet Control .....</b>   | <b>4.3-57</b> |
| <b>Chart 42</b> | <b>Headwater Depth for C. M. Arch Culverts 0.4 ≤ Rise / Span &lt; 0.5 with Inlet Control .....</b>   | <b>4.3-58</b> |
| <b>Chart 43</b> | <b>Headwater Depth for C. M. Arch Culverts 0.5 ≤ Rise / Span with Inlet Control .....</b>  | <b>4.3-59</b> |
| <b>Chart 44</b> | <b>Dimensionless Critical Depth Chart for C. M. Arch Culverts.....</b>   | <b>4.3-60</b> |
| <b>Chart 45</b> | <b>Head for C. M. Arch Culverts Flowing Full Concrete Bottom 0.3 ≤ Rise / Span &lt; 0.4.....</b>   | <b>4.3-61</b> |
| <b>Chart 46</b> | <b>Head for C. M. Arch Culverts Flowing Full Concrete Bottom 0.4 ≤ Rise / Span &lt; 0.5.....</b>   | <b>4.3-62</b> |
| <b>Chart 47</b> | <b>Head for C. M. Arch Culverts Flowing Full Concrete Bottom 0.5 ≤ Rise / Span .....</b>   | <b>4.3-63</b> |
| <b>Chart 48</b> | <b>Head for C. M. Arch Culverts Flowing Full Earth Bottom (n<sub>b</sub> = 0.022) 0.3 ≤ Rise / Span &lt; 0.4.....</b>  | <b>4.3-64</b> |
| <b>Chart 49</b> | <b>Head for C. M. Arch Culverts Flowing Full Earth Bottom (n<sub>b</sub> = 0.022) 0.4 ≤ Rise / Span &lt; 0.5.....</b>  | <b>4.3-65</b> |
| <b>Chart 50</b> | <b>Head for C. M. Arch Culverts Flowing Full Earth Bottom (n<sub>b</sub> = 0.022) 0.5 ≤ Rise / Span .....</b>  | <b>4.3-66</b> |
| <b>Chart 51</b> | <b>Inlet Control Headwater Depth for Circular or Elliptical Structural Plate C. M. Conduits.....</b>   | <b>4.3-67</b> |
| <b>Chart 52</b> | <b>Inlet Control Headwater Depth for High and Low Profile Structural Plate C. M. Arch .....</b>  | <b>4.3-68</b> |

---

|   |        |
|---|--------|
| Chart 53 Dimensionless Critical Depth Chart for Structural Plate Ellipse Long Axis<br>Horizontal.....   | 4.3-69 |
| Chart 54 Dimensionless Critical Depth Chart for Structural Plate Low- and High-<br>Profile Arches ..... | 4.3-70 |
| Chart 55 Throat Control for Side-Tapered Inlets to Pipe Culvert (Circular Section<br>Only).....         | 4.3-71 |
| Chart 56 Face Control for Side-Tapered Inlets to Pipe Culverts (Non-Rectangular<br>Sections Only).....  | 4.3-72 |
| Chart 57 Throat Control for Box Culverts with Tapered Inlets.....                                       | 4.3-73 |
| Chart 58 Face Control for Box Culverts with Side-Tapered Inlets .....                                   | 4.3-74 |
| Chart 59 Face Control for Box Culverts with Slope Tapered Inlets .....                                  | 4.3-75 |
| Chart 60 Discharge Coefficients for Roadway Overtopping .....   | 4.3-76 |